

Acetaminophen Doses

(Tylenol, Tempra and Generics) given by mouth every 4-6 hours

Weight (pounds and kg)	Age	Infants' 160mg/5mL	Children's liquid 160mg/5mL	Children's chewable 160mg	Adult Regular Strength 325mg	Adult Extra Strength 500mg
Under 12 lb 5.5 kg	2-3 m	¼ tsp 1.25 mL	¼ tsp 1.25 mL			
12-17 lb 5.5-7.9 kg	4-11 m	½ tsp 2.5 mL	½ tsp 2.5 mL			
18-23 lb 8-10.4 kg	12-23 m	¾ tsp 3.75 mL	¾ tsp 3.75 mL			
24-35 lb 10.5-15.9 kg	2-3 y	1 tsp 5 mL	1 tsp 5 mL	1	1	
36-47 lb 16-21 kg	4-5 y		1 ½ tsp 7.5 mL	1 ½	1	
48-59 lb 21.8-26.8 kg	6-8 y		2 tsp 10 mL	2	1	
60-71 lb 27-32 kg	9-10 y		2 ½ tsp 12.5 mL	2 ½	1	
72-95 lb 32.7-43 kg	11-12 y		3 tsp 15 mL	3	1	1
Over 96 lb Over 43 kg	Over 12 y		4 tsp 20 mL	4	2	2

Acetaminophen suppositories (120mg/325mg) are given rectally every 4-6 hours.

Ibuprophen Doses

(Advil, Motrin and Generics) given by mouth every 6-8 hours

Weight (pounds)	Age	Infants' drops 50mg/1.25ml	Children's Liquid 100mg/5ml	Chewable 100 mg tablet	Adult 200mg tablet
Under 12 lb 5.5 kg	0-6 m	Not recommended for infants under six months old.			
12-17 lb 5.5-7.9 kg	6-11 m	1.25 ml	½ tsp 2.5 mL		
18-23 lb 8-10.4 kg	12-23 m	1.875 ml	¾ tsp 3.75 mL		
24-35 lb 10.5-15.9 kg	2-3 y	2.5 ml	1 tsp 5 mL	1	
36-47 lb 16-21 kg	4-5 y		1 ½ tsp 7.5 mL	1 ½	
48-59 lb 21.8-26.8 kg	6-8 y		2 tsp 10 mL	2	1
60-71 lb 27-32 kg	9-10 y		2 ½ tsp 12.5 mL	2 ½	1
72-95 lb 32.7-43 kg	11 y		3 tsp 15 mL	3	1 ½
Over 96 lb Over 43 kg	Over 12 y		4 tsp 20 mL	4	2